




## DOOR EDGE DETAILS




SQUARE EDGE DOOR.  
 1. SINGLE DOOR.  
 2. ACTIVE DOOR OF A PAIR.  
 3. INACTIVE DOOR OF A PAIR.



SQUARE EDGE FIRE DOOR.  
 1. BEVEL EDGE NOT AVAILABLE.  
 2. INTUMESCENT SEAL REQUIRED ON 30 THRU 90 MINUTE DOORS.



RABBETED EDGE DOOR.  
 1. USED BETWEEN UPPER AND LOWER SECTIONS OF MONORAIL DOORS.



BEVEL EDGE DOOR.  
 1. 2 DEG. BEVEL.  
 2. PIN SIDE OF THE DOOR IS THE WIDE SIDE.  
 3. SINGLE DOOR.  
 4. ACTIVE DOOR OF A PAIR ONLY.  
 5. NOT AVAILABLE FOR CORRIM FIRE DOORS.  
 6. LOCK EDGE ONLY.

NOT TO SCALE

<b>Revision</b>  _____ _____ _____ _____	<p><b>CORRIM Company</b></p> <p>Corrosion Immune Fiberglass Doors &amp; Frames</p> <p>1870 Stillman Drive * Oshkosh, WI 54901                  (920) 231-2000 * fax: (920) 231-2238</p>	<p>Job Name: _____</p> <hr/> <p>Drawn By: _____ Elevation: _____</p> <hr/> <p>Order #: _____ Sheet    of _____</p>
---	---	--